


# #00 Surface Prep Tool - Concrete Surface Preparation

**Brand:** Substrate Technology, Inc.

**Weight:** 1.00lb

**Dimensions:** 0.00in x 3.00in x 0.00in



## Short Description

- Leaves a rough profile
- Aggressive, super fast PCD tool for removal of coatings, mastics, or rough concrete
- Dry removal tool only
- 3-in. metal bond diamond

## Description

### #00 Surface Prep Tool - Concrete Surface Preparation



The #00 Prep Tool is a super fast PCD tool that leaves a rough profile. Its uses are to remove adhesives, thin-sets, surface inequalities of +/-4mm and epoxy coatings with thickness of less than 4mm.


The #00 Prep Tool is made for use on concrete and should never be chosen to grind

terrazzo, marble, or granite. The concrete profile after using the #00 Prep Tool will be one that is considered rough to the touch having up to 1mm deep grooves.

It is a combination PCD/metal bond preparation tool that has the EG attachment system as a standard for use on any P/M machines. The #00 Prep Tool is designed to be used as a dry removal tool only.

The #00 Prep Tool is directional. This means that any set of #00 Prep tools will always contain 50% right-hand tools and 50% left-hand tools. Approximate life of the #00 Prep Tool is 30,000SF (3,000 M<sup>2</sup>).

- Dry tool only
- 3-in diameter
- 8mm thickness
- Metal bond diamond
- One "set" of #00 tools consists of 50% right-hand & 50% left-hand tools
- Quick Change attachment for use with EG Adapter




**For productive surface prep that leaves a smoother profile for polishing or installation of flooring material, use the [#0 Surface Prep Tool](#)!**

## Videos

**Understanding the Difference Between the #0 Prep Tool & #00 Prep Tool and When to Use Them**

## Configuration



## Proper Configuration of the

### #00 Prep Tools

How to properly configure and install the #00 Prep tools to the P/M machine:

1. Attach the RIGHT-hand tools (#00R) into the tool holders that are turning CLOCKWISE.
2. Attach the LEFT-hand tools (#00L) into the tool holders that are turning COUNTER-CLOCKWISE.

*NOTE: Refer to the downloadable [#00 Technical Data Sheet \(TDS\)](#) for proper execution of the tools.*

### Specification

Item Numbers	
Item #	571603412 = #00L Left-handed tool
Item #	571603418 = #00R Right-handed tool